

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	((PIETER) near2 (NAMMENSMA)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/26 13:22
L2	2	((ROBERT) near2 ("DE ROOY")).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/26 13:22
L3	1	((BARTHOLOMEUS) near2 (BROERSEN)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/26 13:22
L4	8	("5122425"   "5445903"   "5629103"   "5676806"   "5932368"   "6007683"   "6228521").PN. OR ("6663999").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/26 13:37
S1	1	("5932368").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/24 11:42
S2	2	((("6492053") or ("6265095")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/24 17:06
S3	12	("4983472"   "4997727"   "5273837"   "5350642"   "5942349").PN. OR ("6492053").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/24 17:06
S4	6	("4857420"   "5460897"   "6054231").PN. OR ("6265095").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/24 17:38
S5	59338	"429".clas.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/24 17:46
S6	615	S5 and porous with interconnect\$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/24 17:46
S7	32	S6 and anode with supported with fuel cell	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/24 17:48
S8	478	S5 and anode with supported with fuel cell	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/24 18:17
S9	59394	"429".clas.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 11:01

S10	481	S9 and anode with supported with fuel cell	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 11:01
S11	17	S10 and (stress or compression or compliant) with porous	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 11:02
S12	51	S9 and anode near2 supported near2 fuel cell	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 11:17
S14	99	S9 and fuel cell and (current collector or interconnect\$3) with thickness with (um or micron)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 11:42
S15	10	S9 and fuel cell and (current collector or interconnect\$3) with thickness with (um or micron) with (porous or mesh)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 12:13
S16	30	S9 and fuel cell and (current collector or interconnect\$3) with thickness with (um or micron) same (porous or mesh or screen)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 12:16
S17	59394	"429".clas.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 13:28
S20	664	S17 and fuel cell and (current collector or interconnect\$3) near2 (porous or mesh or screen)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 13:28
S21	549	S17 and fuel cell and current collector near2 (porous or mesh or screen)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 13:29
S22	144	S17 and solid oxide with fuel cell and current collector near2 (porous or mesh or screen)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 13:31
S23	59394	"429".clas.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 16:28
S24	46	S23 and hexagonal near2 (holes or openings)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 16:28
S25	48	S23 and hexagon\$2 near2 (holes or openings)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/25 16:29

**6/ 26/ 2009 2:11:57 PM**

**C:\ Documents and Settings\ tchuo\ My Documents\ EAST\ Workspaces\ 10520117.wsp**